



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

赫兹电力
HERTZ POWER





HZJS-II

赫兹电力
HERTZ POWER





1

2

3

4

5

6

7

8

9



.....	1
.....	1
.....	1
.....	2
.....	3
.....	4
.....	8
.....	10
.....	11





HZJS-II

/

45Hz 55Hz

10kV

50Hz

1

2

3

4

5

50Hz

	3pF 0	60000 pF/10kV 100%	60pF ~ 1 μ F/0.5kV 0.001%
	± 1.0% × ± 1.0% ×	± 1 pF ± 0.04%	
		0.001 pF 0.001	
	10 μ A 5A		
	0.5 10k	200mA	



8


9 128 × 64

10

11 HV

10kV

1



2

SPWM			2KVA/1		
Cn					
C _N	10 μ A	1A	2 Ω		
Cx	10 μ A	1A	2 Ω		
Cx	10 μ A	1A	2 Ω		
MPPM					
20kV					

2

PID

/

tg δ


225

027-83267669




0V

3



3



4

HV ---

CX ---

⏏ ---



1

5

BR16

1

;


2

Cx

L

11

E



5

BR16

HVx

Cx

2


6

1

L

E

2



6

BR16

HV


10kV

HV

3

1


7




X A X HV Cx

2 2 3kV A X X

8 10kV AX



3 8 9 X 2.5 3kV



4 9 Cx HV

1 A B C 0

2 HV Cx

5

HV

HV

Cx



1				
2				
3				
4				
5				

6

10

Cx

7


1

2

tg δ

8

1





2 HV 10kV

1

1

2



HV

,

C_x

C_x

3



HV

C_x

2

11

3

1

“ ”

12

2

“ ” “ ”

13

3

正接

内 C_n

变频


10kV

内 U_n



启动

11



12

13

正接	内 Un
变频 10kV	内 Cn
Testing	55%

CX = 50.85PF
tg δ = 0.002%

14

15

4

5

14

100%

15

tg δ


tg δ

CX

V

I

F1 F2





“

”

“

”

1

2

1.

2.



1

2

3

2

24

027-83267669

24

48

4